

References

- Abegg, B., S. Agrawala, et al.** (2007). Climate change impacts and adaptation in winter tourism. In S. Agrawala (Ed.) *Climate Change in the European Alps. Adapting Winter Tourism and Natural Hazards Management*, 25–60.
- Alexander, L. V., X. Zhang, et al.** (2006). Global observed changes in daily climate extremes of temperature and precipitation. *Journal of Geophysical Research* 111: D05109.
- Allegrini, J.** (2012). Urban climate and energy demand in buildings. ETH Zurich Thesis, Nr. 20848.
- Allen, R. G., L. S. Pereira, et al.** (1998). Crop evapotranspiration. Guidelines for Computing Crop Water Requirements. FAO Irrigation and Drainage Paper 56. Food and Agriculture Organization (FAO) of the United Nations, Rome, 300pp.
- Anderson, P. K., A. A. Cunningham, et al.** (2004). Emerging infectious diseases of plants: pathogen pollution, climate change and agrotechnology drivers. *TRENDS in Ecology and Evolution* 19: 535–544.
- Annala, E.** (1969). Influence of temperature upon the development and voltinism of *Ips typographus* L. (Coleoptera, Scolytidae). *Annales Zoologici Fennici* 6: 161–208.
- Araújo, M. B., R. G. Pearson, et al.** (2005). Validation of species-climate impact models under climate change. *Global Change Biology* 11: 1504–1513.
- Araújo, M. B., and M. New** (2007). Ensemble forecasting of species distributions. *Trends in Ecology & Evolution* 22: 42–47.
- Azevedo, I. L., M. Sonnberger, et al.** (2013). The rebound effect: Implications of consumer behaviour for robust energy policies. International Risk Governance Council, Lausanne, Switzerland, 35pp.
- Babst, F., B. Poulter, et al.** (2013). Site- and species-specific responses of forest growth to climate across the European continent. *Ecology and Biogeography* 22: 706–717.
- Ballester, F., P. Michelozzi, et al.** (2003). Weather, climate, and public health. *Journal of Epidemiology and Community Health* 57: 759–760.
- Ballester, J., F. Giorgi, et al.** (2010). Changes in European temperature extremes can be predicted from changes in PDF central statistics. *Climatic Change* 98: 277–284.
- Bauder, A., M. Funk, et al.** (2007). Ice volume changes of selected glaciers in the Swiss Alps since the end of the 19th century. *Annals of Glaciology* 46: 145–149.
- Bavay, M., T. Grünewald, et al.** (2013). Response of snow cover and runoff to climate change in high Alpine catchments of Eastern Switzerland. *Advances in Water Resources* 55: 4–16.
- Begert, M., T. Schlegel, et al.** (2005). Homogeneous temperature and precipitation series of Switzerland from 1864 to 2000. *International Journal of Climatology* 25: 65–80.
- Begert, M., C. Frei, et al.** (2013). Einführung der Normperiode 1981–2010. *Fachbericht MeteoSchweiz* 245: 50pp.
- Bernard, A., and M. Vielle** (2008). GEMINI-E3, a general equilibrium model of international national interactions between economy, energy, and the environment. *Computational Management Science* 5: 173–206.
- BFE** (2012). Analyse des schweizerischen Energieverbrauchs 2000–2011 nach Verwendungszwecken. Bundesamt für Energie, 60pp.
- Bommer C., M. Phillips, et al.** (2010). Practical recommendations for planning, constructing and maintaining infrastructure in mountain permafrost. *Short Communication, Permafrost and Periglacial Processes* 21: 97–104.
- Bosshard, T., S. Kotlarski, et al.** (2011). Spectral representation of the annual cycle in the climate change signal. *Hydrology and Earth System Sciences* 15: 2777–2788.
- Bregaglio, S., M. Donatelli, et al.** (2013). Fungal infections of rice, wheat, and

- grape in Europe in 2030–2050. *Agronomy for Sustainable Development* 33: 767–776.
- Büntgen, U., D. C. Frank, et al. (2008).** Growth responses to climate in a multi-species tree-ring network in the Western Carpathian Tatra Mountains, Poland and Slovakia. *Tree Physiology* 27: 689–702.
- Buser, C., H. R. Künsch, et al. (2009).** Bayesian multi-model projection of climate: bias assumptions and interannual variability. *Climate Dynamics* 33: 849–868.
- Caffarra, A., M. Rinaldi, et al. (2012).** Modelling the impact of climate change on the interaction between grapevine and its pests and pathogens: European grapevine moth and powdery mildew. *Agriculture Ecosystems & Environment* 148: 89–101.
- Calanca, P. (2007).** Climate change and drought occurrence in the Alpine region: How severe are becoming the extremes? *Global and Planetary Change* 57: 151–160.
- Calanca, P., and M. A. Semenov (2013).** Local-scale climate scenarios for impact studies and risk assessments: integration of early 21st century ENSEMBLES projections into the ELPIS database. *Theoretical and Applied Climatology*, 113: 445–455.
- Cattiaux, J., R. Vautard, et al. (2011).** Winter 2010 in Europe: A cold extreme in a warming climate. *Geophysical Research Letters* 37: L20704.
- Ceppi, P., S. C. Scherrer, et al. (2012).** Revisiting Swiss temperature trends 1959–2008. *International Journal of Climatology* 32: 203–213.
- CH2011 (2011).** Swiss Climate Change Scenarios CH2011. Zurich, published by C2SM, MeteoSwiss, ETH, NCCR Climate and OcCC.
- Chen, I. C., J. K. Hill, et al. (2011).** Rapid Range Shifts of Species Associated with High Levels of Climate Warming. *Science* 333: 1024–1026.
- Christensen, J. H., T. Carter, et al. (2002).** PRUDENCE employs new methods to assess European climate change. *EOS* 82: 147.
- Christenson, M., H. Manz, et al. (2006).** Climate warming impact on degree-days and building energy demand in Switzerland. *Energy Conversion and Management* 47: 671–686.
- Cioldi, F., A. Baltensweiler, et al. (2010).** Waldressourcen. In: Brändli U–B (ed.) Schweizerisches Landesforstinventar. Ergebnisse der dritten Erhebung 2004–2006. Birmensdorf, Eidgenössische Forschungsanstalt für Wald, Schnee und Landschaft WSL. Bern, Bundesamt für Umwelt, BAFU.
- Conti, S., P. Meli, et al. (2005).** Epidemiologic study of mortality during the summer 2003 heat wave in Italy. *Environmental Research* 98: 390–399.
- Deschenes, O., M. Greenstone, et al. (2009).** Climate Change and Birth Weight. *American Economic Review* 99: 211–217.
- Deschenes, O., and M. Greenstone (2011).** Climate Change, Mortality, and Adaptation: Evidence from Annual Fluctuations in Weather in the US. *American Economic Journal: Applied Economics* 3: 152–185.
- Dobbertin, M., B. Wermelinger, et al. (2007).** Linking increasing drought stress to Scots pine mortality and bark beetle infestations. *The Scientific World Journal* 7: 231–239.
- Dullinger, S., A. Gattringer, et al. (2012).** Extinction debt of high-mountain plants under 21st-century climate change. *Nature Climate Change* 2: 619–622.
- Eitzinger, J., K. C. Kersebaum, et al. (2009).** Landwirtschaft im Klimawandel. Clenze, Agrimedia.
- Elkin, C., B. Reineking, et al. (2012).** Do small-grain processes matter for landscape scale questions? Sensitivity of a forest landscape model to the formulation of tree growth rate. *Landscape Ecology* 27: 697–711.
- Elkin, C., A. G. Gutierrez, et al. (2013).** A 2°C warmer world is not safe for ecosystem services in the European Alps. *Global Change Biology* 19: 1827–1840.
- Engesser, R., B. Forster, et al. (2008).** Forstliche Schadorganismen im Zeichen des Klimawandels. *Schweizerische Zeitschrift für Forstwesen* 159: 344–351.
- Engler, R., C. F. Randin, et al. (2011).** 21st century climate change threatens mountain flora unequally across Europe. *Global Change Biology* 17: 2330–2341.
- European Environmental Agency (EEA) (2012).** Climate change, impacts and vulnerability in Europe 2012. EEA Report No 12/2012. Luxembourg, Office for Official Publications of the European Union.
- Farinotti, D., M. Huss, et al. (2009).** An estimate of the glacier ice volume in the Swiss Alps. *Global and Planetary Change* 68: 225–231.
- Farinotti, D., S. Usselman, et al. (2012).** Runoff evolution in the Swiss Alps:

- projections for selected high-alpine catchments based on ENSEMBLES scenarios. *Hydrological Processes*, 26(13), 1909–1924.
- Faust**, A. K., C. Gonseth, et al. (2012). Modélisation de l'adaptation aux changements climatiques dans un modèle intégré, REME Report, EPFL, 158pp.
- Figura**, S., D. M. Livingstone, et al. (2011). Regime shift in groundwater temperature triggered by the Arctic Oscillation, *Geophysical Research Letters*, 38: L23401.
- Figura**, S., D. M. Livingstone, et al. (2013). Competing controls on groundwater oxygen concentrations revealed in multidecadal time series from riverbank filtration sites. *Water Resources Research* 49: 7411–7426.
- Fischer**, E. M., C. Schär (2010). Consistent geographical patterns of changes in high-impact European heatwaves. *Nature Geoscience* 3: 398–403.
- Fischer**, A. M., A. P. Weigel, et al. (2012a). Climate change projections for Switzerland based on a Bayesian multi-model approach. *International Journal of Climatology* 32: 2348–2371.
- Fischer**, E.M., J. Rajczak, et al. (2012b). Changes in European summer temperature variability revisited. *Geophysical Research Letters* 39: L19702.
- FOEN** (2012a). Adaptation to climate change in Switzerland. First part of the Federal Council's strategy, 64pp.
- FOEN** (2012b). Auswirkungen der Klimaänderung auf Wasserressourcen und Gewässer – Synthesebericht zum Projekt «Klimaänderung und Hydrologie in der Schweiz», 76pp.
- Frei**, C., (2014). Interpolation of temperature in a mountainous region using non-linear profiles and non-euclidean distances, *International Journal of Climatology*, in press.
- French**, H. M. (2007). *The Periglacial Environment*, 3rd edition, 478pp.
- Frich**, P., L. V. Alexander, et al. (2002). Observed coherent changes in climatic extremes during the second half of the twentieth century, *Climatic Research* 19: 193–212.
- Fuhrer**, J. (2012). Bewässerungsbedarf und Wasserdargebot unter heutigen und künftigen Klimabedingungen. Report, Forschungsanstalt Agroscope Reckenholz-Tänikon ART, Zürich, 48pp.
- García-Herrera** R., J. Díaz, et al. (2010). A review of the European summer heat wave of 2003. *Critical Reviews in Environmental Science and Technology* 40: 267–306.
- Gregory**, P. J., S. N. Johnson, et al. (2009). Integrating pests and pathogens into the climate change/food security debate. *Journal of Experimental Botany* 60: 2827–2838.
- Greening**, L. A., D. L. Greene, et al. (2000). Energy efficiency and consumption – the rebound effect – a survey. *Energy Policy* 28: 389–401.
- Guisan**, A., and N. E. Zimmermann (2000). Predictive habitat distribution models in ecology. *Ecological Modelling* 135: 147–186.
- Haeberli**, W., J. Nötzli, et al. (2010). Mountain permafrost – development and challenges of a young research field. *Journal of Glaciology* 56: 1043–1058.
- Haeberli**, W., A. Schleiss, et al. (2012). Gletscherschwund und neue Seen in den Schweizer Alpen – Perspektiven und Optionen im Bereich Naturgefahren und Wasserkraft. *Wasser Energie Luft* 104: 93–102.
- Hagemeijer**, W. J. M., and M. J. Blair (1997). *The EBCC atlas of European breeding birds, their distribution and abundance*, edn. Poyser, London.
- Hänggi**, P., P., S. Angehm, et al. (2011a). Einfluss der Klimaänderung auf die Stromproduktion der Wasserkraftwerke Löntzsch und Prättigau. *Wasser, Energie, Luft* 4: 292–299.
- Hänggi**, P., R. Weingartner, et al. (2011b). Auswirkungen der Klimänderung auf die Wasserkraftnutzung in der Schweiz 2021–2050 – Hochrechnung. *Wasser, Energie, Luft* 4: 300–307.
- Hansen**, J., M. Sato, et al. (2012). Perception of climate change. *Proceedings of the National Academy of Sciences of the United States of America* 109: 14726–14727.
- Hijmans**, R. J., S. E. Cameron, et al. (2005). Very high resolution interpolated climate surfaces for global land areas. *International Journal of Climatology* 25: 1965–1978.
- Hirschi**, M., S. Stoeckli, et al. (2012). Downscaling climate change scenarios for apple pest and disease modeling in Switzerland. *Earth System Dynamics* 3: 33–47.

- Hoehn, E.,** and A. Scholtis (2011). Exchange between a river and groundwater, assessed with hydrochemical data. *Hydrology and Earth System Sciences* 15: 983–988.
- Holthausen, Perch-Nielsen, et al.** (2011). Pilotprojekt Analyse klimabedingter Risiken und Chancen in der Schweiz. Ernst Basler + Partner, WSL und SLF, im Auftrag von BAFU und ARE, 139pp.
- Holzkämper, A.,** J. Fuhrer, et al. (2013a). Temperaturtrends und Rebbau in der Schweiz. *Schweizer Zeitschrift für Obst- und Weinbau* 13: 6–9.
- Holzkämper, A.,** P. Calanca, et al. (2013b). Identifying climatic limitations to grain maize yield potentials using a suitability evaluation approach. *Agricultural and Forest Meteorology* 168: 149–159.
- Huggel, C.,** J. J. Clague, et al. (2012). Is climate change responsible for changing landslide activity in high mountains? *Earth Surface Processes and Landforms* 37: 77–91.
- Hugh-Jones, M. E.** (1994). Livestock: Management and decision making. In Griffiths, J. F. (ed.) *Handbook of agricultural meteorology*, 291–298. New York: Oxford University Press.
- Huglin, P.** (1978). Nouveau mode d'évaluation des possibilités héliothermiques d'un milieu viticole. In: *Proceedings of the Symposium International sur l'écologie de la Vigne*. Ministère de l'Agriculture et de l'Industrie Alimentaire, Contança, 89–98.
- Hunt, H.,** J. Schubert, et al. (2002). Operation and maintenance considerations, in *Riverbank filtration: Improving source-water quality*, *Water science and technology library*, 43, edited by C. Ray et al., pp. 61–70, Kluwer Academic Publishers, Dordrecht, Netherlands.
- Huss, M.,** A. Bauder, et al. (2008). Determination of the seasonal mass balance of four alpine glaciers since 1865. *Journal of Geophysical Research*, 113: F01015.
- Huss, M.,** G. Juvet, et al. (2010). Future high-mountain hydrology: A new parameterization of glacier retreat. *Hydrology Earth System Science* 14: 815–829.
- Im, E. S.,** E. Coppola, et al. (2010). Local effects of climate change over the Alpine region: A study with a high resolution regional climate model with a surrogate climate change scenario, *Geophysical Research Letters* 37: L05704.
- IMS Health** (2012). Monthly data on pharmaceutical sales in Switzerland. IMS Health, Hergiswil, Switzerland.
- IPCC** (1990). First Assessment Report of the Intergovernmental Panel on Climate Change. Cambridge University Press, Cambridge, UK, and New York, NY, USA.
- IPCC** (1995). Second Assessment Report of the Intergovernmental Panel on Climate Change. Cambridge University Press, Cambridge, UK, and New York, NY, USA.
- IPCC** (2001). Third Assessment Report of the Intergovernmental Panel on Climate Change. Cambridge University Press, Cambridge, UK, and New York, NY, USA.
- IPCC** (2007a). Climate Change 2007: The physical science basis. Contribution of Working Group I to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change. Cambridge University Press, Cambridge, UK, and New York, NY, USA, 996pp.
- IPCC** (2007b). Climate Change 2007: Impacts, Adaptation and Vulnerability. Contribution of Working Group II to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change. Cambridge University Press, Cambridge, UK, and New York, NY, USA, 976pp.
- IPCC** (2012). Managing the risks of extreme events and disasters to advance climate change adaptation. A special report of Working Groups I and II of the Intergovernmental Panel on Climate Change. Cambridge University Press, Cambridge, UK, and New York, NY, USA, 582pp.
- IPCC** (2013). Climate Change 2013: The physical science basis. Contribution of Working Group I to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change. Cambridge University Press, Cambridge, UK, and New York, NY, USA.
- Isaac, M.,** and D.P. van Vuuren (2009). Modeling global residential sector energy demand for heating and air conditioning in the context of climate change. *Energy Policy* 37: 507–521.
- Jalas, J.,** and J. Suominen (1972–2005). *Atlas Florae Europaeae*, edn. The Committee for Mapping the Flora of Europe and Societas Biologica Fennica Vanamo, Helsinki.
- Jansson, P. E.** (2012). CoupModel: model use, calibration, and validation. *Transactions of the ASABE* 55: 1335–1344.
- Johnson, H. D.** (1994). *Animal Physiology*. In Griffiths, J. F. (ed.) *Handbook of agricultural meteorology*, 256–263. New York: Oxford University Press.

- Jones, G. V., R. Reid, et al.** (2012). Climate, Grapes, and Wine: Structure and Suitability in a Variable and Changing Climate. In Dougherty, P. H. (ed.) *The geography of wine: regions, terroir and techniques*, 109–133. Dordrecht, Springer Verlag.
- Kapphan, I., P. Calanca, et al.** (2012). Climate Change, Weather Insurance Design and Hedging Effectiveness. *The Geneva Papers* 37: 286–317.
- Köplin, N., B. Schädler, et al.** (2012). Relating climate change signals and physiographic catchment properties to clustered hydrological response types. *Hydrology and Earth System Sciences* 16: 2267–2283.
- Köplin, N., B. Schädler, et al.** (2014). Seasonality and magnitude of floods in Switzerland under future climate change. *Hydrological Processes*, 28: 2567–2578..
- Klein, T., A. Holzkämper, et al.** (2013). Adapting agricultural land management to climate change: A regional multi-objective optimization approach. *Landscape Ecology* 28: 2029–2047.
- Klein, T., A. Holzkämper, et al.** (2014). Adaptation options under climate change for multifunctional agriculture – a simulation study for western Switzerland. *Regional Environmental Change* 14: 167–184.
- Klein Tank, A. M. G., F. W. Zwiers, et al.** (2009). Guidelines on Analysis of extremes in a changing climate in support of informed decisions for adaptation, World Meteorological Organization (WMO), WMO-TD (1500).
- Knutti, R.** (2008). Should we believe model predictions of future climate change? *Philosophical Transactions of the Royal Society A: Mathematical, Physical and Engineering Sciences* 366: 4647–4664.
- Knutti, R., R. Furrer, et al.** (2010). Challenges in combining projections from multiple climate models. *Journal of Climate* 23: 2739–2758.
- Kobierska, F., T. Jonas, et al.** (2013). Future runoff from a partly glacierized watershed in Central Switzerland: A two-model approach. *Advances in Water Resources* 55: 204–214.
- Kotlarski, S., T. Bosshard, et al.** (2012). Elevation gradients of European climate change in the regional climate model COSMO-CLM. *Climatic Change* 112: 189–215.
- Lautenschlager, M., K. Keuler, et al.** (2009). Climate simulation with CLM, Scenario A1B run no.1, Data Stream 3: European region MPI-M/MaD. Deutsches Klimarechenzentrum, Hamburg, Germany.
- Lehning, M., I. Volsch, et al.** (2006). ALPINE3D: a detailed model of mountain surface processes and its application to snow hydrology. *Hydrological Processes* 20: 2111–2128.
- Linsbauer, A., F. Paul, et al.** (2013). Comparing three different methods of modeling scenarios of future glacier change in the Swiss Alps. *Annals of Glaciology* 54: 241–253.
- Lischke, H., N. E. Zimmermann, et al.** (2006). TreeMig: A forest-landscape model for simulating spatio-temporal patterns from stand to landscape scale. *Ecological Modelling* 199: 409–420.
- Lobell, D. B., W. Schlenker, et al.** (2011). Climate trends and global crop production since 1980. *Science* 333: 616–620.
- Lustenberger, A., Knutti, R., et al.** (2014). The potential of pattern scaling for projecting temperature-related extreme indices. *International Journal of Climatology* 34: 18–26.
- Lüthi, M. P.** (2009). Transient response of idealized glaciers to climate variations. *Journal of Glaciology* 55: 918–930.
- Lüthi, M. P., A. Bauder, et al.** (2010). Glacier volume change reconstruction from length change data of the Swiss Alps. *Journal of Geophysical Research* 115: F04022.
- Marty, C.** (2008). Regime shift of snow days in Switzerland. *Geophysical Research Letters* 35: L12501.
- Masson, D., and R. Knutti** (2011). Climate model genealogy. *Geophysical Research Letters* 38: L08703.
- Meier, F., R. Engesser, et al.** (2009). Forstschutz-Überblick 2008. Eidgenössische Forschungsanstalt Wald Schnee Landschaft WSL, Birmensdorf CH, 24pp.
- MeteoSchweiz** (2013). Klimaszenarien Schweiz – Eine regionale Übersicht. Fachbericht MeteoSchweiz 243, 36pp.
- Meyer, R.** (2012). Die Auswirkungen der projizierten Klimaänderung auf Sommerniedrigwasser im Schweizer Mittelland basierend auf einer multivariablen Kalibrierung des hydrologischen Modellsystems PREVAH. Inauguraldissertation der Philosophisch-naturwissenschaftlichen Fakultät der Universität Bern.
- Nakicenovic, N., and R. Swart** (2000). IPCC Special Report Emission Scenarios. Cambridge, IPCC.

- NewIndex AG** (2012). Monthly data on doctor visits in Switzerland. NewIndex AG, Olten, Switzerland.
- OcCC** (2003). Extremereignisse und Klimaänderung. OcCC/ProClim, Bern, Switzerland, 88pp.
- OcCC** (2007). Klimaänderung und die Schweiz 2050 – Erwartete Auswirkungen auf Umwelt, Gesellschaft und Wirtschaft. OcCC/ProClim, Bern, Switzerland, 168pp.
- Parmesan, C., and G. Yohe** (2003). A globally coherent fingerprint of climate change impacts across natural systems. *Nature* 421: 37–42.
- Pearman, P. B., and D. Weber** (2007). Common species determine richness patterns in biodiversity indicator taxa. *Biological Conservation* 138: 109–119.
- Pearman, P. B., A. Guisan, et al.** (2011). Impacts of climate change on Swiss biodiversity: An indicator taxa approach. *Biological Conservation* 144: 866–875.
- PERMOS** (2010). Permafrost in Switzerland 2006/2007 and 2007/2008. Noetzi, J. and Vonder Mühll, D. (eds.), Glaciological Report (Permafrost) No. 8/9 of the Cryospheric Commission of the Swiss Academy of Sciences, 68pp.
- Pesquer, L., A. Cortés, et al.** (2010). Parallel ordinary kriging interpolations incorporating automatic variogram fitting. *Computer & Geosciences* 37: 464–473.
- Petgen, M.,** (2007). Reaktion der Reben auf den Klimawandel. *Schweizer Zeitschrift für Obst- und Weinbau* 9: 6–9.
- Rahmstorf, S., and D. Coumou** (2012). Increase of extreme events in a warming world. *Proceedings of the National Academy of Sciences of the United States of America* 109: 4708.
- Rajczak, J., P. Pall, et al.** (2013). Projections of extreme precipitation events in regional climate simulations for Europe and the Alpine Region, *Journal of Geophysical Research* 118: 3610–3626.
- Rasche, L., L. Fahse, et al.** (2012). Enhancing gap model accuracy by modeling dynamic height growth and dynamic maximum tree height. *Ecological Modelling* 232: 133–143.
- Rigling, A., C. Elkin, et al.** (2012). Waldentwicklung in zentral-alpinen Trockentälern unter fortschreitendem Klimawandel – die Fallstudie Region Visp. *Schweizerische Zeitschrift für Forstwesen* 163: 481–492.
- Rigling, A., C. Bigler, et al.** (2013). Driving factors of a vegetation shift from Scots pine to pubescent oak in dry Alpine forests. *Global Change Biology* 19: 229–240.
- Rixen, C., M. Teich, et al.** (2011). Winter Tourism and Climate Change in the Alps: an Assessment of Resource Consumption, Snow Reliability, and Future Snow-making Potential. *Mountain Research and Development* 31: 229–236.
- Robine J.M., S. L. K. Cheung, et al.** (2008). Death toll exceeded 70,000 in Europe during the summer of 2003. *Comptes Rendus Biologies* 331: 171–178.
- Sadras, V. O., and M. A. Moran** (2013). Asymmetric warming effect on the yield and source: Sink ratio of field-grown grapevine. *Agricultural and Forest Meteorology* 173: 116–126.
- Salzmann, N., S. Kotlarski, et al.** (2013). Advancing and facilitating the use of RCM data in climate impacts research. *Impacts World 2013, International Conference on Climate Change Effects, May 27–30 2013, Potsdam: 565–572.*
- Samietz, J., B. Graf, et al.** (2008). SOPRA: phenology modelling of major orchard pests – from biological basics to decision support. *Acta Horticulturae* 803: 35–42.
- SBV/USP** (Schweizerischer Bauernverband/Union Suisse des Paysans) (2012). Statistische Erhebungen und Schätzungen über Landwirtschaft und Ernährung/Statistiques et évaluations concernant l’agriculture et l’alimentation 2011. SBV Statistik/USP Statistique, Brugg, 268pp.
- Schär, C., and G. Jendritzki** (2004). Hot news from summer 2003. *News and views. Nature* 432: 559–560.
- Schär, C., P. L. Vidale, et al.** (2004). The role of increasing temperature variability in European summer heatwaves. *Nature* 427: 332–336.
- Scherler, M., C. Hauck, et al.** (2010). Meltwater infiltration into the frozen active layer at an alpine permafrost site. *Permafrost and Periglacial Processes* 21: 325–334.
- Scherler, M., Hauck, et al.** (2013). Modeled sensitivity of two alpine permafrost sites to RCM-based climate scenarios *Journal of Geophysical Research* 118: 780–794.
- Scherrer, S. C., C. Appenzeller, et al.** (2004). Trends in Swiss Alpine snow days: The role of local- and large-scale climate variability. *Geophysical Research Letters* 31: L13215.

- Scherrer, S. C., C. Appenzeller, et al.** (2005). European temperature distribution changes in observations and climate change scenarios. *Geophysical Research Letters* 32: L19705.
- Schulla, J., and K. Jasper** (2007). Model Description WaSiM-ETH. Technical report, 181pp.
- Schürch, M.** (2011). Auswirkungen des Klimawandels auf das Grundwasser. Erster Bericht der Arbeitsgruppe „Klima und Grundwasser“, *Gas Wasser Abwasser* 3: 177–182.
- Schweizerische Gesellschaft für Hydrologie und Limnologie (SGHL) und Hydrologische Kommission (CHy)** (Hrsg.) 2011: Auswirkungen der Klimaänderung auf die Wasserkraftnutzung – Synthesebericht. Beiträge zur Hydrologie der Schweiz, Nr. 38, 28 S., Bern. (2011).
- Scott, D., C. M. Hall, et al.** (2012). *Tourism and climate change*, London and New York: Routledge.
- Seibert, J., and M. J. P. Vis** (2012). Teaching hydrological modeling with a user friendly catchment-runoff-model software package. *Hydrology and Earth System Sciences* 16: 3315–3325.
- Serquet, G., C. Marty, et al.** (2011). Seasonal trends and temperature dependence of the snowfall/precipitation day ratio in Switzerland. *Geophysical Research Letters* 38: L07703.
- SFSO** (2012). Monthly data on hospitalizations in Switzerland. Swiss Federal Statistical Office, Neuchatel, Switzerland.
- SIA** (1982). Degree-days in Switzerland, Recommendation 381/3, Swiss Society of Engineers and Architects, Zurich.
- Sivakumar, M. V. K., and R. P. Motha** (eds) (2007). *Managing climate risks in agriculture*. Berlin: Springer
- Sorrell, S.** (2007). *The rebound effect: An assessment of the evidence for economy-wide energy savings from improved energy efficiency. A report produced by the Sussex Energy Group for the Technology and Policy Assessment function of the UK Energy Research Centre, UK Energy Research Centre*
- Sprenger, C., G. Lorenzen, et al.** (2011). Vulnerability of bank filtration systems to climate change. *Science of the Total Environment* 409: 655–663.
- Steiger, R.** (2010). The impact of climate change on ski season length and snow-making requirements, *Climate Research* 43: 251–62.
- Steiger, R., and B. Abegg** (2013). The Sensitivity of Austrian Ski Areas to Climate Change, *Tourism Planning & Development* 10: 480–493.
- Stern, N., S. Peters, et al.** (2006). *Stern Review: The Economics of Climate Change*, HM Treasury, London.
- Stoeckli, S., M. Hirschi, et al.** (2012). Impact of climate change on voltinism and prospective diapause induction of a global pest insect – *Cydia pomonella* (L.). *PLoS ONE* 7: e35723.
- Stoffel, M., and C. Huggel** (2012). Effects of climate change on mass movements in mountain environments. *Progress in Physical Geography* 36: 421–439.
- Surchat, M.** (2011). Les scénarios à long terme du PIB suisse, *La Vie économique – Revue de politique économique* 6: 9–11.
- Swiss Statistical Office** (2010). Les scénarios de l'évolution de la population de la Suisse 2010–2060, Neuchâtel: Office fédéral de la statistique.
- Temperli, C., H. Bugmann, et al.** (2013). Cross-scale interactions among bark beetles, climate change, and wind disturbances: a landscape modeling approach. *Ecological Monographs* 83: 383–402.
- Thom, E. C.** (1958). The discomfort index. *Weatherwise* 12: 57–60.
- Thomas, C. D., and J. J. Lennon** (1999). Birds extend their ranges northwards. *Nature* 399: 213–213.
- Thomas, C. D., A. Cameron, et al.** (2004). Extinction risk from climate change. *Nature* 427: 145–148.
- Tinner, W., M. Conedera, et al.** (2005). Fire ecology north and south of the Alps since the last ice age. *Holocene* 15: 1214–1226.
- Torriani, D. S., P. Calanca, et al.** (2007). Potential effects of changes in mean climate and climate variability on the yield of winter and spring crops in Switzerland. *Climate Research* 34: 59–69.
- Torriani, D. S., P. Calanca, et al.** (2008). Hedging with weather derivative to cope with climate variability and change in grain maize production. *Agricultural Finance Review* 68: 67–81.
- Trnka, M., J. E. Olesen, et al.** (2011). Agroclimatic conditions in Europe under climate change. *Global Change Biology* 17: 2298–2318.
- Vandentorren S., F. Suzan, et al.** (2004). Mortality in 13 French cities during the August 2003 heat wave. *American Journal of Population health* 94: 1518–1520.

- van der Linden, P., and J. F. B. Mitchell** (2009). ENSEMBLES: Climate Change and its Impacts: Summary of research and results from the ENSEMBLES project. Exeter, Met Office Hadley Centre.
- VAW** (1990). Schnee, Eis und Wasser der Alpen in einer wärmeren Atmosphäre; B. Schädler, Abfluss. Internationale Fachtagung, VAW, SLF, ETHZ, Zürich.
- Viviroli, D., M. Zappa, et al.** (2009a). Continuous simulation for flood estimation in ungauged mesoscale catchments of Switzerland – Part I: Modelling framework and calibration results. *Journal of Hydrology* 377: 191–207.
- Viviroli, D., H. Mittelbach, et al.** (2009b). Continuous simulation for flood estimation in ungauged mesoscale catchments of Switzerland – Part II: Parameter regionalisation and flood estimation results. *Journal of Hydrology* 377: 208–225.
- Weber, D., U. Hintermann, et al.** (2004). Scale and trends in species richness: considerations for monitoring biological diversity for political purposes. *Global Ecology and Biogeography* 13: 97–104.
- Wedekind, C., and C. Küng** (2010). Shift of Spawning Season and Effects of Climate Warming on Developmental Stages of a Grayling (Salmonidae). *Conservation Biology* 24: 1418–1423.
- Wermelinger, B.** (2004). Ecology and management of the spruce bark beetle *Ips typographus* – a review of recent research. *Forest Ecology and Management* 202: 67–82.
- WHO** (2009). Global Health Risks – Mortality and burden of disease attributable to selected major risks. World Health Organization, Geneva.
- WHO** (2012). Climate change and health. World Health Organization Fact sheet No. 266.
- WMO** (1967). A note on climatological normals. Technical note No. 84: 17pp.
- WMO** (2012). Draft of the implementation plan of the global framework for climate services (GFCS), www.wmo.int, World Meteorological Organization, Geneva, Switzerland.
- Zanobetti, A., and J. Schwartz** (2008). Temperature and mortality in nine US cities. *Epidemiology* 19: 563–570.
- Zubler, E. M., A. M. Fischer, et al.** (2014a). Localized climate change scenarios of mean temperature and precipitation over Switzerland. *Climatic Change*: submitted.
- Zubler, E. M., S. C. Scherrer, et al.** (2014b). Key climate indices in Switzerland; expected changes in a future climate. *Climatic Change*: in press.